


REVISIONS						ITEM NO.	PART NUMBER	QTY	DESCRIPTION
ECN	REV	DESCRIPTION	ZONE	BY	DATE				
28637	A	NEW RELEASE		JS	1/27/2023	1	989467	1	CONNECTOR, 12 PIN, PLUG, DTM06-12SB
31076	B	UPDATED DIMENSIONS AND CONNECTORS	F7, 2-H3, 3-C7	DC	11/5/2024	2	989467-01	2	CONNECTOR, WEDGE, WM-12S
						3	988900	1	CONNECTOR , 12-PIN , PLUG, DTM06-12SA
						4	983201	1	CONN,03-PIN,PLUG,DT06-3S DEUTSCH
						5	983210	1	CONNECTOR, 03-PIN, WEDGE, PLUG, DEUTSCH
						6	982446	1	CONN,12-PIN,PLUG,DT06-12SA
						7	982453	1	CONN,WEDGE,PLUG,12P,DEUTSCH
						8	983199	14	CONN,02-PIN,PLUG,DT06-2S
						9	983208	14	CONN,WEDGE,PLUG,2P,DEUTSCH
						10	982448	42	TERMINAL,SOCKET,DEUTSCH,14-16AWG
						11	1007354	21	TERM, SOC 16-22 GA DEUTSCH
						12	33271-7	5.8	WIRE,16GA,RED
						13	33271-1	49	WIRE,16GA,BLACK
						14	33271-4	5.4	WIRE,16GA,GREEN
						15	33271-2	5.4	WIRE,16GA,YELLOW
						16	33271-44	4	WIRE, 16GA, GREEN/RED STRIPE
						17	33271-18	1	WIRE,16GA,BLUE,RED STRIPE
						18	33271-11	4.3	WIRE,16GA,BLUE
						19	33271-9	9	WIRE,16GA,PURPLE
						20	33271-41	10.6	WIRE,16GA,TAN
						21	33271-8	3.3	WIRE,16GA,PINK
						22	33271-33	4.5	WIRE,16GA,BLACK/RED STRIPE
						23	33271-52	4.5	WIRE, 16GA, BROWN/RED STRIPE
						24	33271-12	4.1	WIRE,16GA,RED,BLACK STRIPE
						25	33271-14	5.1	WIRE,16GA,YELLOW,RED STRIPE
						26	33271-36	3.6	WIRE,16GA,GRAY,RED STRIPE

△ B

**MANUFACTURE HARNESS IAW PER
LEEBOY ELECTRICAL STANDARD 1013676**

<p>DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED</p> <p>DIMENSIONS APPLY TO FINISHED PART. ROUGH CUTS MUST INCLUDE APPROPRIATE STOCK ALLOWANCE FOR MACHINED PARTS.</p> <p>(REFERENCE DIMENSIONS)</p> <p>REFER TO TABLES FOR GENERAL TOLERANCES</p>														 <p>ST ENGINEERING LEEBOY, dba LEEBOY 500 LINCOLN COUNTY PARKWAY EXT LINCOLNTON, NC 28092</p>		<p>APPROVALS</p> <p>DRAWN BY: JS</p> <p>CHECKED BY: TWJ</p>		<p>DATE</p> <p>01/31/2023</p> <p>02/10/2025</p>		<p>1027382</p> <p>HARNESS, MOTOR MANIFOLD, 8680</p>		<p>PAVER / MULTIPLE</p>		<p>REV B</p>		<p>THIRD ANGLE PROJECTION</p>		<p>SHT SIZE: B</p>		<p>SHT 1 OF 3</p>		<p>PART WEIGHT: 0.50 LBS</p>																																								
<p>GENERAL FABRICATION TOLERANCE - INCH</p> <table border="1"> <tr> <td>></td> <td>0.000</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>0.000</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> </tr> <tr> <td>≤</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>~</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> <td>~</td> </tr> <tr> <td>±</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> <td>0.125</td> <td>0.188</td> <td>0.250</td> <td>0.500</td> <td>0.005</td> <td>0.010</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> </tr> </table>														>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000	≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~	±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094	<p>SURFACE: 250</p>		<p>GENERAL MACHINING TOLERANCE</p>		<p>SURFACE: 125</p>		<p>SHEET SCALE: 1:2</p>		<p>SHT 1 OF 3</p>		<p>PART WEIGHT: 0.50 LBS</p>		<p>REV B</p>	
>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000																																																										
≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~																																																										
±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094																																																										
ANGLE		±0.5°		±1.0°		±2.0°		±3.0°		±0.1°		±0.3°		±0.5°																																																										



<p>GENERAL FABRICATION TOLERANCE - INCH</p> <table border="1"> <tr> <td>></td> <td>0.000</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>0.000</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> </tr> <tr> <td>≤</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>~</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> <td>~</td> </tr> <tr> <td>±</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> <td>0.125</td> <td>0.188</td> <td>0.250</td> <td>0.500</td> <td>0.005</td> <td>0.010</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> </tr> </table>														>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000	≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~	±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094	<p>SURFACE: 250</p>		<p>GENERAL MACHINING TOLERANCE</p>		<p>SURFACE: 125</p>		<p>DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED</p>		<p>DIMENSIONS APPLY TO FINISHED PART. ROUGH CUTS MUST INCLUDE APPROPRIATE STOCK ALLOWANCE FOR MACHINED PARTS.</p>		<p>(REFERENCE DIMENSIONS)</p>		<p>REFER TO TABLES FOR GENERAL TOLERANCES</p>		<p>SHEET SCALE: 1:2</p>	
>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000																																																												
≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~																																																												
±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094																																																												
<p>ANGLE</p> <table border="1"> <tr> <td>±0.5°</td> <td>±1.0°</td> <td>±2.0°</td> <td>±3.0°</td> <td>±0.1°</td> <td>±0.3°</td> <td>±0.5°</td> <td colspan="7"></td> </tr> </table>														±0.5°	±1.0°	±2.0°	±3.0°	±0.1°	±0.3°	±0.5°								<p>APPROVALS</p> <p>DRAWN BY: JS</p> <p>CHECKED BY: TWJ</p>		<p>DATE</p> <p>01/31/2023</p> <p>02/10/2025</p>		<p>1027382</p> <p>HARNES, MOTOR MANIFOLD, 8680</p>		<p>PAVER / MULTIPLE</p>		<p>REV B</p>		<p>INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF LEEBOY. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF LEEBOY IS PROHIBITED.</p>		<p>THIRD ANGLE PROJECTION</p>		<p>SHT SIZE: B</p>		<p>SHT 2 OF 3</p>		<p>PART WEIGHT: LBS</p>																												
±0.5°	±1.0°	±2.0°	±3.0°	±0.1°	±0.3°	±0.5°																																																																				

