



REVISIONS						
ECN	REV	DESCRIPTION	ZONE	BY	DATE	
32041	A	NEW RELEASE		DC	3/18/2025	

ITEM NO.	PART NUMBER	QTY	DESCRIPTION
1	1021580	1	FUSE BLOCK, XT DISTRIBUTION MODULE WITH COVER
2	1021331	1	CONNECTOR, 4-PIN, APEX 2.8, 54200409N-B
3	73192-02	4	PLUG, CAVITY, DEUTSCH CONN
4	38073	9.75	WIRE, 6GA, RED
5	1021325-40	3	FUSE, 40A, AMI/MIDI, BOLT-DOWN

**MANUFACTURE HARNESS IAW PER
LEEBOY ELECTRICAL STANDARD 1013676**

<p>GENERAL FABRICATION TOLERANCE - INCH</p> <table border="1"> <tr> <td>></td> <td>0.000</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>0.000</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> </tr> <tr> <td>≤</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>~</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> <td>~</td> </tr> <tr> <td>±</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> <td>0.125</td> <td>0.188</td> <td>0.250</td> <td>0.500</td> <td>0.005</td> <td>0.010</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> </tr> </table>														>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000	≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~	±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094	<p>SURFACE: 250 ✓</p>		<p>GENERAL MACHINING TOLERANCE</p>				<p>SURFACE: 125 ✓</p>		<p>DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED</p>		<p>APPROVALS</p>		<p>DATE</p>		<p>1031308</p>	
>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000																																																												
≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~																																																												
±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094																																																												
<p>GENERAL FABRICATION TOLERANCE - INCH</p> <table border="1"> <tr> <td>></td> <td>0.000</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>0.000</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> </tr> <tr> <td>≤</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>~</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> <td>~</td> </tr> <tr> <td>±</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> <td>0.125</td> <td>0.188</td> <td>0.250</td> <td>0.500</td> <td>0.005</td> <td>0.010</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> </tr> </table>														>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000	≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~	±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094	<p>SURFACE: 250 ✓</p>		<p>GENERAL MACHINING TOLERANCE</p>				<p>SURFACE: 125 ✓</p>		<p>DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED</p>		<p>APPROVALS</p>		<p>DATE</p>		<p>1031308</p>	
>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000																																																												
≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~																																																												
±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094																																																												
<p>ANGLE</p> <table border="1"> <tr> <td>±0.5°</td> <td colspan="3">±1.0°</td> <td colspan="3">±2.0°</td> <td colspan="3">±3.0°</td> <td colspan="3">±0.1°</td> <td colspan="3">±0.3°</td> <td colspan="3">±0.5°</td> </tr> </table>														±0.5°	±1.0°			±2.0°			±3.0°			±0.1°			±0.3°			±0.5°			<p>SHEET SCALE: 1:2</p>		<p>LeeBoy</p>		<p>ST ENGINEERING LEEBOY, dba LEEBOY 500 LINCOLN COUNTY PARKWAY EXT LINCOLNTON, NC 28092</p>		<p>DRAWN BY: DC</p>		<p>CHECKED BY: TWJ</p>		<p>03/18/2025</p>		<p>03/19/2025</p>		<p>HARNESS, POWER WITH FUSE BLOCK, 8680</p>																											
±0.5°	±1.0°			±2.0°			±3.0°			±0.1°			±0.3°			±0.5°																																																										
<p>INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF LEEBOY. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF LEEBOY IS PROHIBITED.</p>														<p>THIRD ANGLE PROJECTION</p>		<p>SHT SIZE: B</p>		<p>SHT 1 OF 1</p>		<p>PART WEIGHT: 0.38 LBS</p>		<p>PAVER / 8680</p>		<p>REV A</p>																																																		