


REVISIONS					
ECN	REV	DESCRIPTION	ZONE	BY	DATE
27701	A	NEW RELEASE		JDS	10/25/2023

ITEM NO.	PART NUMBER	QTY	DESCRIPTION
1	980109	1	SLIDE, CONVEYOR ADJUSTMENT
2	980106	2	ASSEMBLY, CONVEYOR DRIVE SLIDE ADJUSTMENT
3	1026169	1	WELDMENT, SPROCKET, CONVEYOR, 8680
4	1028088	1	MOTOR, HYDRAULIC, OMV500, 30.51 CIR
5	FS6400-12-16-O	2	ADAPTER, STRAIGHT, -12 ORFS / -16 O-RING
6	105-10-11-36-F	4	CSFHS, 5/8-11 X 2.25, FT
7	204-10-11-5	4	NUT, LOCK, STOVER, 5/8-11, GR5
8	100-8-20-20-5F	1	CSHH, 1/2-20 X 1.25, GR5, FT
9	302-8	1	WASHER, LOCK, 1/2
10	308-10-36	1	WASHER, FLAT, FENDER, 5/8 X 2.25



FINISH PER LEEBOY SPECIFICATION DRAWING 1014877										<small>DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED</small> <small>DIMENSIONS APPLY TO FINISHED PART. ROUGH CUTS MUST INCLUDE APPROPRIATE STOCK ALLOWANCE FOR MACHINED PARTS.</small> <small>(REFERENCE DIMENSIONS)</small> <small>REFER TO TABLES FOR GENERAL TOLERANCES</small>		<small>APPROVALS</small> <small>DATE</small> DRAWN BY: SS 10/15/02 CHECKED BY: SDD 11/08/2023		1026140 ASSEMBLY, CONVEYOR MOTOR, SLIDE PAVERS / 8680																																																											
<small>GENERAL FABRICATION TOLERANCE - INCH</small> <table border="1"> <tr> <td>></td> <td>0.000</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>0.000</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> </tr> <tr> <td>≤</td> <td>3.000</td> <td>12.000</td> <td>24.000</td> <td>48.000</td> <td>96.000</td> <td>120.000</td> <td>240.000</td> <td>~</td> <td>1.000</td> <td>3.000</td> <td>6.000</td> <td>12.000</td> <td>36.000</td> <td>~</td> </tr> <tr> <td>±</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> <td>0.125</td> <td>0.188</td> <td>0.250</td> <td>0.500</td> <td>0.005</td> <td>0.010</td> <td>0.015</td> <td>0.031</td> <td>0.063</td> <td>0.094</td> </tr> </table>										>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000	≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~	±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094	<small>GENERAL MACHINING TOLERANCE</small> <table border="1"> <tr> <td>ANGLE</td> <td>±0.5°</td> <td>±1.0°</td> <td>±2.0°</td> <td>±3.0°</td> <td>±0.1°</td> <td>±0.3°</td> <td>±0.5°</td> </tr> </table>		ANGLE	±0.5°	±1.0°	±2.0°	±3.0°	±0.1°	±0.3°	±0.5°	<small>SHEET SCALE: 1:4</small> 		<small>INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF LEEBOY. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF LEEBOY IS PROHIBITED</small> <small>THIRD ANGLE PROJECTION</small>		<small>ST ENGINEERING LEEBOY, dba LEEBOY, 500 LINCOLN COUNTY PARKWAY EXT, LINCOLNTON, NC 28092</small>		<small>SHT 1 OF 1</small> <small>PART WEIGHT: 114.30 LBS</small>		REV A
>	0.000	3.000	12.000	24.000	48.000	96.000	120.000	240.000	0.000	1.000	3.000	6.000	12.000	36.000																																																											
≤	3.000	12.000	24.000	48.000	96.000	120.000	240.000	~	1.000	3.000	6.000	12.000	36.000	~																																																											
±	0.015	0.031	0.063	0.094	0.125	0.188	0.250	0.500	0.005	0.010	0.015	0.031	0.063	0.094																																																											
ANGLE	±0.5°	±1.0°	±2.0°	±3.0°	±0.1°	±0.3°	±0.5°																																																																		